




EXPRESS PLUS POWER LINK 2000 WITH 15" DISPLAY CUSTOM SIGN TEMPLATE -FRONT TOP



NOTES & REQUIREMENTS


- Artwork must be in **vector** format. Do not use raster images.
- Artwork must be in **CMYK** process color. (Call out any PMS numbers for reference, but artwork is screen printed using CMKY only.)
- For full bleed artwork, provide minimum 5-mm bleed.
- Convert all fonts to outlines.
- * ChargePoint artwork is included as reference ("ChargePoint Reference Artwork" layer).

ChargePoint standard artwork is included for reference only.
Place custom artwork on CUSTOMER ARTWORK layer:



SCALE 1.000

EXPRESS PLUS POWER LINK 2000 WITH 15" DISPLAY CUSTOM SIGN TEMPLATE -FRONT BOTTOM





NOTES & REQUIREMENTS

- Artwork must be in **vector** format. Do not use raster images.
- Artwork must be in **CMYK** process color. (Call out any PMS numbers for reference, but artwork is screen printed using CMYK only.)
- For full bleed artwork, provide minimum 5-mm bleed.
- Convert all fonts to outlines.
- * ChargePoint artwork is included as reference ("ChargePoint Reference Artwork" layer).

ChargePoint standard artwork is included for reference only.

Place custom artwork on CUSTOMER ARTWORK layer:



SCALE 1.000

EXPRESS PLUS POWER LINK 2000 WITH 15" DISPLAY CUSTOM SIGN TEMPLATE -FRONT CMK





NOTES & REQUIREMENTS

- Artwork must be in **vector** format. Do not use raster images.
- Artwork must be in **CMYK** process color. (Call out any PMS numbers for reference, but artwork is screen printed using CMKY only.)
- For full bleed artwork, provide minimum 5-mm bleed.
- Convert all fonts to outlines.
- * ChargePoint artwork is included as reference ("ChargePoint Reference Artwork" layer).


ChargePoint standard artwork is included for reference only.

Place custom artwork on CUSTOMER ARTWORK layer:



SCALE 1.000

EXPRESS PLUS POWER LINK 2000 WITH 15" DISPLAY CUSTOM SIGN TEMPLATE -BACK CMK





NOTES & REQUIREMENTS

- Artwork must be in **vector** format. Do not use raster images.
- Artwork must be in **CMYK** process color. (Call out any PMS numbers for reference, but artwork is screen printed using CMKY only.)
- For full bleed artwork, provide minimum 5-mm bleed.
- Convert all fonts to outlines.
- * ChargePoint artwork is included as reference ("ChargePoint Reference Artwork" layer).

ChargePoint standard artwork is included for reference only.

Place custom artwork on CUSTOMER ARTWORK layer:



SCALE 1.000